

FIG. 1




FIG. 2




FIG. 3

DDS/PDL

BP	Contents	Number of bytes
0 to 1	DDS identifier (0A0Ah)	2 bytes
2	Reserved	1 byte
3	Disc certification flag	1 byte
4 to 7	DDS/PDL update counter	4 bytes
8 to 9	Number of Groups	2 bytes
10 to 11	Number of zones	2 bytes
12 to 79	Reserved	68 bytes
80 to 87	Location of Primary spare area	8 bytes
88 to 91	Location of LSN 0	4 bytes
92 to 255	Reserved	164 bytes
256 to 259	Start LSN for Zone 0	140 bytes
260 to 263	Start LSN for Zone 1	
----	----	
392 to 395	Start LSN for Zone 34	
396 to 399	DMA rec-counter 1	4 bytes
400 to 2047	reserved	1652 bytes

FIG. 4

SDL

BP	Contents	Number of bytes
0 to 1	SDL identifier (0002h)	2 bytes
2 to 3	Reserved	2 bytes
4 to 7	SDL update counter	4 bytes
8 to 11	Start sector number of Supplementary spare area	4 bytes
12 to 15	Total number of logical sectors	4 bytes
16 to 19	DDS/PDL update counter	4 bytes
20	Spare area full flags	1 byte
21 to 24	DMA rec-counter 2	4 bytes
25 to 26	Number of entries in SDL	2 bytes
27 to 34	The first SDL entry	8 bytes
-----	-----	-----
M to m+7	The last SDL entry	8 bytes

FIG. 5

SDL Entry

RSV (1B)	Replacement source address (3B)	RSV (1B)	Replacement destination address (3B)
----------	---------------------------------	----------	--------------------------------------

FIG. 6




FIG. 7

DMA use state 1

	DDS/PDL update counter	SDL update counter	DMA counter
DMA 0	Normal use	Normal use	0~Nov-1
DMA 1	Continuing use of above value	Continuing use of above value	0~Nov-1
⋮	Continuing use of above value	Continuing use of above value	0~Nov-1
DMA m	Continuing use of above value	Continuing use of above value	0~Nov-1
⋮	Continuing use of above value	Continuing use of above value	0~Nov-1
DMA n	Continuing use of above value	Continuing use of above value	0~Nov-1

Nov: Allowable overwrite count



FIG. 8

DMA use state 2

	DDS/PDL update counter	SDL update counter	DMA counter
DMA 0	Normal use	Normal use	0~Nov-1
DMA 1	Normal use after reset	Normal use after reset	0~Nov-1
⋮	Normal use after reset	Normal use after reset	0~Nov-1
DMA m	Normal use after reset	Normal use after reset	0~Nov-1
⋮	Normal use after reset	Normal use after reset	0~Nov-1
DMA n	Normal use after reset	Normal use after reset	0~Nov-1

Nov: Allowable overwrite count

FIG. 9






FIG. 13




FIG. 14




FIG. 15